

SIPTEC

SIPTEC MASTER HD

● Налично

ТЕХНИЧЕСКИ ДАННИ

Състояние	**New**	Working width (m)	**MASTER HD 300: 3,0 · MASTER HD 350: 3,5 · MASTER HD 400: 4,0**
Number of discs	**MASTER HD 300: 24 · MASTER HD 350: 28 · MASTER HD 400: 32**	Number of teeth	**MASTER HD 300: 9 · MASTER HD 350: 11 · MASTER HD 400: 13**
Weight (kg)	**MASTER HD 300: 4020 · MASTER HD 350: 4690 · MASTER HD 400: 5360**	Required power (hp)	**MASTER HD 300: 250-350 · MASTER HD 350: 300-400 · MASTER HD 400: 350-450**

БЕЛЕЖКИ

Агротехники & Ко
Get in touch

070090033 · info@agrotehniki.com · www.agrotehniki.com

The SIPTEC Master HD is a 3-in-1 multi-purpose machine that carries out shallow and deep tillage, as well as soil le velling, in a single pass.

Adjustable to suit field conditions, this is a flexible, high-performance combination cultivator that reduces the number o f passes and conserves soil moisture.

The discs cut intensively and mix in crop residues. Their operation can be adjusted whilst on the move to suit varying s oil conditions.

The hydro-pneumatic working units loosen and mix the soil, maintain the correct depth in all conditions and promote u niform crop growth.

3 rows of working units spaced 700 mm apart
Robust 100x100x8 mm frame
Working depth up to 350 mm
Ground clearance under the frame 850 mm
Wings on both sides of each working unit
Hydropneumatic overload protection system
Rear roller or disc harrow with manual adjustment

The Master HD is a combination cultivator designed for shallow and deep tillage whilst simultaneously levelling the field.

СНИМКИ

Докоснете снимка, за да я отворите в пълен размер.



