

UNIA

UNIA RCW

● Налично

ТЕХНИЧЕСКИ ДАННИ

Състояние	**New**
per capacity [dm³]	**RCW 45: 4500 · RCW 60: 6000 · RCW 60H: 6000 · RCW 85: 8500 · RCW 85: 8500 · RCW 90 TD: 9000 · RCW 110 TD: 11000 · RCW 130 TD: 13000**
Working width – granular fertiliser [m]	**RCW 45: 10-36 · RCW 60: 10-36 · RCW 60H: 10-36 · RCW 85: 10-36 · RCW 85: 10-36 · RCW 90 TD: 10-36 · RCW 110 TD: 10-36 · RCW 130 TD: 10-48**
Working width – lime [m]	**RCW 45: 8-16 · RCW 60: 8-16 · RCW 60H: 8-16 · RCW 85: 8-16 · RCW 85: 8-16 · RCW 90 TD: 8-16 · RCW 110 TD: 8-16 · RCW 130 TD: 8-16**
Length / Width / Height [m]	**RCW 45: 4,93 / 2,52 / 2,43 · RCW 60: 5,42 / 2,40 / 2,45 · RCW 60H: 5,56 / 2,57 / 2,74 · RCW 85: 5,42 / 2,45 / 2,79 · RCW 85: 5,56 / 2,62 / 3,10 · RCW 90 TD: 6,67 / 2,40 / 2,59 · RCW 110 TD: 6,67 / 2,45 / 2,78 · RCW 130 TD: 7,05 / 2,70 / 3,04**
yres	**RCW 45: 500/60-22,5 · RCW 60: 550/60-22,5 · RCW 60H: 18.4 R38 · RCW 85: 550/60-22,5 · RCW 85: 520/85 R38 · RCW 90 TD: 500/60-22,5 · RCW 110 TD: 550/60-22,5 · RCW 130 TD: 600/55-22,5**
Weight [kg]	**RCW 45: 2430 · RCW 60: 2840 · RCW 60H: 3230 · RCW 85: 3120 · RCW 85: 3630 · RCW 90 TD: 4200 · RCW 110 TD: 4400 · RCW 130 TD: 5600**
Required power [HP]	**RCW 45: 40-60 · RCW 60: 60-70 · RCW 60H: 60-70 · RCW 85: 80-90 · RCW 85: 80-90 · RCW 90 TD: 130-170 · RCW 110 TD: 130-170 · RCW 130 TD: 200**

БЕЛЕЖКИ

The UNIA RCW features a reinforced frame and a modified fertiliser hopper for more efficient material feeding. The machine is versatile – it spreads granular fertilisers and lime. Working widths o f up to 36 m and ‘H’ versions, which are 25 cm taller, minimise losses during operation.

СНИМКИ

Докоснете снимка, за да я отворите в пълен размер.



